

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

19




FIG. 1

09/719362

PCT/GB99/01691

WO 99/64624

2-9





FIG. 2

3-9



2nd stage PCR





FIG. 2 (cont)

09/719362

4-9

100bp ladder w


Exon 6

Exon 7

Exon 8

Exon 9

Exon 10



100bp ladder σ

Exon 8

Exon 9

Exon 10

Exon 11

Exon 12

FIG. 3

09/719362

PCT/GB99/01691

WO 99/64624

5-3





FIG. 4a

WO 99/64624

09/719362
PCT/GB99/016917-9FIG. 5


SUBSTITUTE SHEET (RULE 26)

WO 99/64624

8-9

PCT/CB99/01691

09/719362

FIG. 6

WO 99/64624

09/719362
PCT/GB99/01691

9-9




FIG. 7